

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) Apparatus for producing printing plates, comprising:
a frame arranged as a stand-alone structure external to a printing machine,
a mounting arranged in said frame;
a carrier cylinder having a first end and a second end, said carrier cylinder being cantilever mountable at an image setting position on said mounting via said first end of said carrier cylinder;
a motor for driving said carrier cylinder, wherein said mounting includes a carrying tube fixed in said frame and a spindle mounted in said carrying tube, said spindle being connected to said carrier cylinder and said motor being arranged in said carrying tube and having a drive connection to said spindle; and
an image setting device moveable along said carrier cylinder for setting an image on a blank printing plate arranged on said carrier cylinder, said second end of said carrier cylinder being freely accessible to permit printing plate change on said carrier cylinder; and
an intermediate sleeve received on said carrier cylinder and arranged and dimensioned for receiving a printing plate that can be clamped onto said intermediate sleeve on said carrier cylinder, said intermediate sleeve being one of plural intermediate sleeves of different external diameter which are receivable on said carrier cylinder, wherein said carrier cylinder is replaceable by a further carrier cylinder having a different diameter, said image setting device being movable radially relative to a longitudinal axis of said carrier cylinder for accommodating the different diameters of said carrier cylinder and the further carrier cylinder, said mounting and said image setting device being arranged on an upper surface of said frame.
2. (canceled)

3. (previously presented) The apparatus according to claim 1, wherein said motor is fixed in said frame and said carrier includes a journal, and said apparatus further comprises an external flexible belt drive connecting said motor to said journal of said carrier cylinder.

4. (currently amended) The apparatus according to claim 1, wherein ~~said carrier cylinder is operatively arranged for receiving a printing plate that can be clamped onto said carrier cylinder,~~ said printing plate ~~being~~ is a sleeve, and said carrier cylinder having holes arranged in a cover thereof for blowing compressed air against a printing plate inner wall incident printing plate change.

5. (original) The apparatus according to claim 1, wherein said carrier cylinder includes a clamping device for clamping a finite printing plate onto said carrier cylinder.

6. (previously presented) The apparatus according to claim 4, wherein said carrier cylinder is one of plural cylinders of different diameters which are each selectively mountable on said mounting at said image setting position.

7. (previously presented) The apparatus according to claim 5, wherein said carrier cylinder is one of plural cylinders of different diameters which are each selectively mountable on said mounting at said image setting position.

8. (canceled)

9. (previously presented) The apparatus according to claim 4, wherein said carrier cylinder is operative for selectively receiving printing plates of different diameters.

10. (original) The apparatus according to claim 1, wherein said carrier cylinder is operative for receiving one of an offset printing plate, a letterpress printing plate, a flexographic printing plate, and a gravure printing plate.

11. (original) The apparatus of claim 10, wherein a surface of said carrier cylinder comprises said gravure printing plate.

12. (original) The apparatus of claim 1, further comprising a crossmember arranged in said frame parallel to an axis of rotation of said carrier cylinder, said image setting device being moveable on said crossmember.

13. (original) The apparatus of claim 1, further comprising an erasing device arrangement which is settable set against said carrier cylinder.

14. (original) The apparatus of claim 1, further comprising a fixing device arrangement which is settable against said carrier cylinder.

15. (original) The apparatus of claim 1, further comprising a layer applicator device arrangement which is settable against said carrier cylinder.

16. (canceled)

17. (previously presented) The apparatus of claim 1, wherein said upper surface of said frame is a planar surface.